

USER MANUAL

BJÖRK PAPER TOWEL DISPENSER

Prod. no. 3340/3345/3348






TABLE OF CONTENTS

Dimensions and technical specifications	3
General safety information	4
Installation	4
User guide	5
Cleaning and maintenance	5
Parts list	6
Spare parts list	7

DIMENSIONS AND TECHNICAL SPECIFICATIONS

Dimensions / unit of measurement: inch



IMPORTANT!
This product falls within the scope of the WEEE directive on recycling and recovery of waste electrical and electronic equipment.



- This product should not be disposed of with general household waste
- This product must be reused if possible
- Contact your local authority for further details
- This product may also be returned to the manufacturer/retailer for proper treatment, recovery, and recycling

TECHNICAL SPECIFICATIONS

DESCRIPTION	DATA
Material	Powder coated stainless steel
Capacity	Approx. 180 pcs. 3-ply Z/W/C-folded paper towels
Net weight	11.24 lb
Model	3340, white, powder coated stainless steel
	3345, black, powder coated stainless steel
	3348, RAL classic, powder coated stainless steel




GENERAL SAFETY INFORMATION


This product is not intended for use by persons (inclusive children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they are supervised or have been given instruction concerning use of the product by a person responsible for their safety. Children should be supervised to ensure this product is used correctly.

INSTALLATION


1. Place the mounting template on the wall at the desired location. Drill (4) holes as indicated.




2. Open the paper towel dispenser with the enclosed square key by turning the lock at the top of the dispenser.




3. Attach the dispenser base plate to the wall with suitable screws. Watch mounting template.




4. Place paper towels in the dispenser.



5. Close the dispenser again by pushing the casing back into place.



6. The paper towel dispenser is now ready for use.




USER GUIDE

- Shake excess water from hands
- Take one sheet of paper and place it onto one of your hands
- Place the back of the other hand on top of the sheet and move your hand across the paper
- Turn the same hand with the palm down against the sheet and move your hand across the paper
- Turn the sheet around and repeat section 3 and 4 with your first hand
- Repeat the process with a new sheet, if your hands are not entirely dry

CLEANING AND MAINTENANCE


- Clean the interior of the dryer and remove any dust. If necessary, use an air compressor
- Do not soak
- Use a damp cloth and mild cleaning solution. Never use cleaning detergents with an abrasive effect





PARTS LIST

N°	Description
1	Lock with nut
2	Insert for square key
3	Square key, black polyamide
4	Plastic disc for lock
5	Casing
6	Base plate complete
7	Locking pawl for BJÖRK
8	Spring for lock
9	Grub screw with point M6x10
10	Capped Starlock Ø5



SPARE PARTS LIST

Pos. nr.	Art. nr.	Spare part
1 + 2 + 4 + 7 + 8	28208	Lock complete, silver, without security key for housing
	28209	Lock complete, black, without security key for housing
3	28202	Square key for housing, black polyamide
9	55000	Grub screw with internal hexagon and point. ISO 4028 SS A2, M6x10
10	67150	Capped Starlock Ø5

DAN DRYER A/S
Tåsingevej 2
DK - 8940 Randers SV

+45 8641 5711
info@dandryer.com
dandryer.us

