

anony

408 - 9 Davies Ave.
Toronto, ON
M4M 2A6
+1 416 994 9617
sales@anony.ca



Photo: OHM-PBR-13

Ohm. Pendant
Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Product Code

Model Finish Pendant Temperature

Model		Dimension Per Pendant		Canopy Dimension	Dimming	Lamp Life
OHM		Ø5in Ø130mm		Ø22in Ø555mm	a. MLV Forward Phase b. ELV Reverse Phase c. 0-10V	15K hours
Finish		Material		Weight	Driver	Input Voltage
PBR	Polished Brass	Steel		35lbs	a. Remote	120V 50/60Hz
PCU	Polished Copper	Aluminum		15.8kg	b. Integral in Canopy	Output Voltage 12V
PCR	Polished Chrome	Glass			c. Integral in Canopy	
SWHT	Sandtex White	LED		Temperature		Certification
SBLK	Sandtex Black			2700K 3000K	Lamping	
Chandelier		Mounting			80CRI 23.4W 1950-2210lm	
13	13 Chandelier	J-Box				

© 2021, anony. All rights reserved. For more information and replacement parts and lamps, please email sales@anony.ca

anony

408 - 9 Davies Ave.
Toronto, ON
M4M 2A6
+1 416 994 9617
sales@anony.ca



Photo: OHM-PCU-13

Ohm. Pendant
Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Product Code

Model Finish Pendant Temperature

Model OHM		Dimension Per Pendant Ø5in Ø130mm		Canopy Dimension Ø22in Ø555mm		Dimming a. MLV Forward Phase b. ELV Reverse Phase c. 0-10V		Lamp Life 15K hours	
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome SWHT Sandtex White SBLK Sandtex Black		Material Steel Aluminum Glass LED		Weight 35lbs 15.8kg		Driver a. Remote b. Integral in Canopy c. Integral in Canopy		Input Voltage 120V 50/60Hz	
Chandelier 13 13 Chandelier		Mounting J-Box		Temperature 2700K 3000K		Lamping 80CRI 23.4W 1950-2210lm		Output Voltage 12V	
								Certification 	

© 2021, anony. All rights reserved. For more information and replacement parts and lamps, please email sales@anony.ca

anony

408 - 9 Davies Ave.
Toronto, ON
M4M 2A6
+1 416 994 9617
sales@anony.ca



Photo: OHM-PCR-13

Ohm. Pendant
Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Product Code

Model Finish Pendant Temperature

Model OHM		Dimension Per Pendant Ø5in Ø130mm		Canopy Dimension Ø22in Ø555mm		Dimming a. MLV Forward Phase b. ELV Reverse Phase c. 0-10V		Lamp Life 15K hours	
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome SWHT Sandtex White SBLK Sandtex Black		Material Steel Aluminum Glass LED		Weight 35lbs 15.8kg		Driver a. Remote b. Integral in Canopy c. Integral in Canopy		Input Voltage 120V 50/60Hz	
Chandelier 13 13 Chandelier		Mounting J-Box		Temperature 2700K 3000K		Lamping 80CRI 23.4W 1950-2210lm		Output Voltage 12V	
								Certification 	

© 2021, anony. All rights reserved. For more information and replacement parts and lamps, please email sales@anony.ca

anony

408 - 9 Davies Ave.
Toronto, ON
M4M 2A6
+1 416 994 9617
sales@anony.ca



Photo: OHM-SWHT-13

Ohm. Pendant
Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Product Code

Model Finish Pendant Temperature

Model		Dimension Per Pendant		Canopy Dimension	Dimming	Lamp Life
OHM		Ø5in Ø130mm		Ø22in Ø555mm	a. MLV Forward Phase b. ELV Reverse Phase c. 0-10V	15K hours
Finish		Material		Weight	Driver	Input Voltage
PBR	Polished Brass	Steel		35lbs	a. Remote	120V 50/60Hz
PCU	Polished Copper	Aluminum		15.8kg	b. Integral in Canopy	Output Voltage 12V
PCR	Polished Chrome	Glass			c. Integral in Canopy	
SWHT	Sandtex White	LED		Temperature		Certification
SBLK	Sandtex Black			2700K 3000K	Lamping	
Chandelier		Mounting			80CRI 23.4W 1950-2210lm	
13	13 Chandelier	J-Box				

© 2021, anony. All rights reserved. For more information and replacement parts and lamps, please email sales@anony.ca

anony

408 - 9 Davies Ave.
Toronto, ON
M4M 2A6
+1 416 994 9617
sales@anony.ca




Photo: OHM-SBLK-13

Ohm. Pendant
Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Product Code

Model Finish Pendant Temperature

Model OHM		Dimension Per Pendant Ø5in Ø130mm		Canopy Dimension Ø22in Ø555mm	Dimming a. MLV Forward Phase b. ELV Reverse Phase c. 0-10V	Lamp Life 15K hours
Finish						Input Voltage 120V 50/60Hz
PBR	Polished Brass	Material		Weight	Driver	
PCU	Polished Copper	Steel		35lbs	a. Remote	Output Voltage
PCR	Polished Chrome	Aluminum		15.8kg	b. Integral in Canopy	12V
SWHT	Sandtex White	Glass			c. Integral in Canopy	
SBLK	Sandtex Black	LED		Temperature		Certification
				2700K		
				3000K		
Chandelier		Mounting			Lamping	
13	13 Chandelier	J-Box			80CRI	
					23.4W	
					1950-2210lm	

© 2021, anony. All rights reserved. For more information and replacement parts and lamps, please email sales@anony.ca

anony

408 - 9 Davies Ave.
Toronto, ON
M4M 2A6
+1 416 994 9617
sales@anony.ca



Photo: OHM-PBR-19

Ohm. Pendant
Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Product Code

Model Finish Pendant Temperature

Model		Dimension Per Pendant		Canopy Dimension	Dimming	Lamp Life
OHM		Ø5in Ø130mm		Ø22in Ø555mm	a. MLV Forward Phase b. ELV Reverse Phase c. 0-10V	15K hours
Finish		Material		Weight	Driver	Input Voltage
PBR	Polished Brass	Steel		40lbs	a. Remote	120V 50/60Hz
PCU	Polished Copper	Aluminum		18.1kg	b. Integral in Canopy	Output Voltage 12V
PCR	Polished Chrome	Glass			c. Integral in Canopy	
SWHT	Sandtex White	LED		Temperature		Certification
SBLK	Sandtex Black			2700K 3000K	Lamping	
Chandelier		Mounting			80CRI 34.2W 2850-3230lm	
19	19 Chandelier	J-Box				
31	31 Chandelier					
37	37 Chandelier					
CUS	Custom					

© 2021, anony. All rights reserved. For more information and replacement parts and lamps, please email sales@anony.ca