

anony

408 - 9 Davies Ave.
Toronto, ON
M4M 2A6
+1 416 994 9617
sales@anony.ca



Photo: OHM-PBR-07

Ohm. Pendant
Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Product Code

Model Finish Pendant Temperature

Model		Dimension Per Pendant		Canopy Dimension		Dimming		Lamp Life	
OHM		Ø5in Ø130mm		Ø12in Ø300mm		a. ELV Reverse Phase b. 0-10V		15K hours	
Finish		Material		Weight		Driver		Input Voltage	
PBR	Polished Brass	Steel		15lbs		Integral in Canopy		120V 50/60Hz	
PCU	Polished Copper	Aluminum		6.8kg					
PCR	Polished Chrome	Glass						Output Voltage	
SWHT	Sandtex White	LED				Lamping		12V	
SBLK	Sandtex Black			Temperature		80CRI 12.6W 1050-1190lm		Certification	
Pendant		Mounting		3000K					
07	07 Chandelier	J-Box							

© 2021, anony. All rights reserved. For more information and replacement parts and lamps, please email sales@anony.ca

anony

408 - 9 Davies Ave.
Toronto, ON
M4M 2A6
+1 416 994 9617
sales@anony.ca



Photo: OHM-PCU-07

Ohm. Pendant
Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Product Code

Model Finish Pendant Temperature

Model OHM		Dimension Per Pendant Ø5in Ø130mm		Canopy Dimension Ø12in Ø300mm		Dimming a. ELV Reverse Phase b. 0-10V		Lamp Life 15K hours	
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome SWHT Sandtex White SBLK Sandtex Black		Material Steel Aluminum Glass LED		Weight 15lbs 6.8kg		Driver Integral in Canopy		Input Voltage 120V 50/60Hz	
Pendant 07 07 Chandelier		Mounting J-Box		Temperature 2700K 3000K		Lamping 80CRI 12.6W 1050-1190lm		Output Voltage 12V	
								Certification 	

© 2021, anony. All rights reserved. For more information and replacement parts and lamps, please email sales@anony.ca

anony

408 - 9 Davies Ave.
Toronto, ON
M4M 2A6
+1 416 994 9617
sales@anony.ca



Photo: OHM-PCR-07

Ohm. Pendant
Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Product Code

Model Finish Pendant Temperature

Model		Dimension Per Pendant		Canopy Dimension		Dimming		Lamp Life	
OHM		Ø5in Ø130mm		Ø12in Ø300mm		a. ELV Reverse Phase b. 0-10V		15K hours	
Finish		Material		Weight		Driver		Input Voltage	
PBR	Polished Brass	Steel		15lbs		Integral in Canopy		120V 50/60Hz	
PCU	Polished Copper	Aluminum		6.8kg					
PCR	Polished Chrome	Glass						Output Voltage	
SWHT	Sandtex White	LED				Lamping		12V	
SBLK	Sandtex Black			Temperature		80CRI 12.6W 1050-1190lm			
Pendant		Mounting						Certification	
07	07 Chandelier	J-Box		2700K 3000K					

© 2021, anony. All rights reserved. For more information and replacement parts and lamps, please email sales@anony.ca

anony

408 - 9 Davies Ave.
Toronto, ON
M4M 2A6
+1 416 994 9617
sales@anony.ca



Photo: OHM-SWHT-07

Ohm. Pendant
Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Product Code

Model Finish Pendant Temperature

Model					
OHM					
Finish					
PBR	Polished Brass	Material	Canopy Dimension	Dimming	Lamp Life
PCU	Polished Copper	Steel	Ø12in	a. ELV Reverse Phase	15K hours
PCR	Polished Chrome	Aluminum	Ø300mm	b. 0-10V	Input Voltage
SWHT	Sandtex White	Glass		Driver	120V 50/60Hz
SBLK	Sandtex Black	LED		Integral in Canopy	Output Voltage
				Lamping	12V
				80CRI	
				12.6W	
				1050-1190lm	
Pendant		Mounting	Temperature		Certification
07	07 Chandelier	J-Box	2700K		
			3000K		

© 2021, anony. All rights reserved. For more information and replacement parts and lamps, please email sales@anony.ca

anony

408 - 9 Davies Ave.
Toronto, ON
M4M 2A6
+1 416 994 9617
sales@anony.ca



Photo: OHM-SBLK-07

Ohm. Pendant
Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Product Code

Model Finish Pendant Temperature

Model		Dimension Per Pendant		Canopy Dimension		Dimming		Lamp Life	
OHM		Ø5in Ø130mm		Ø12in Ø300mm		a. ELV Reverse Phase b. 0-10V		15K hours	
Finish		Material		Weight		Driver		Input Voltage	
PBR	Polished Brass	Steel		15lbs		Integral in Canopy		120V 50/60Hz	
PCU	Polished Copper	Aluminum		6.8kg					
PCR	Polished Chrome	Glass						Output Voltage	
SWHT	Sandtex White	LED				Lamping		12V	
SBLK	Sandtex Black			Temperature		80CRI 12.6W 1050-1190lm			
Pendant		Mounting						Certification	
07	07 Chandelier	J-Box		2700K 3000K					

© 2021, anony. All rights reserved. For more information and replacement parts and lamps, please email sales@anony.ca