

COMPONANCE
ARCHITECTURAL HARDWARE

casson
CASSONHARDWARE.COM

COMPONANCE

VS SERIES: BLACK

WALL MOUNTED HANDRAIL BRACKET



SPEC	VS-WALL-BLK	NOTES
Application	Wall Mounted	Use with rail with flat bottom. Minimum 1-1/2" solid backing required. Can be installed on existing drywall. All hardware included.
Material	304 Stainless Steel	
Finish	Powder Coated	
Colour	Black	
Use	Interior & Exterior	
Projection	2.9" / 74mm	
Spacing	36"-48" o.c. / 914-1220mm	
Hardware	Included	

VS Series, designed and manufactured by componance. For technical information, CAD drawings or related materials, please visit: www.componance.com or contact an authorized componance dealer. All information subject to change. Line drawings are not plotted to scale, for scaled drawings please inquire or download the drawings in CAD format.

componance.com
info@componance.com
+1.604.771.5128

COMPONANCE

VS SERIES: WHITE

WALL MOUNTED HANDRAIL BRACKET



SPEC	VS-WALL-WHT	NOTES
Application	Wall Mounted	Use with rail with flat bottom. Minimum 1-1/2" solid backing required. Can be installed on existing drywall. All hardware included.
Material	304 Stainless Steel	
Finish	Powder Coated	
Colour	White	
Use	Interior & Exterior	
Projection	2.9" / 74mm	
Spacing	36"-48" o.c. / 914-1220mm	
Hardware	Included	

VS Series, designed and manufactured by componance. For technical information, CAD drawings or related materials, please visit: www.componance.com or contact an authorized componance dealer. All information subject to change. Line drawings are not plotted to scale, for scaled drawings please inquire or download the drawings in CAD format.

componance.com
info@componance.com
+1.604.771.5128

COMPONANCE

VS SERIES: BRUSHED STAINLESS


WALL MOUNTED HANDRAIL BRACKET




SPEC	VS-WALL-SS	NOTES
Application	Wall Mounted	Use with rail with flat bottom. Minimum 1-1/2" solid backing required. Can be installed on existing drywall. All hardware included.
Material	304 Stainless Steel	
Finish	Brushed	
Colour	Silver	
Use	Interior & Exterior	
Projection	2.9" / 74mm	
Spacing	36"-48" o.c. / 914-1220mm	
Hardware	Included	

VS Series, designed and manufactured by componance. For technical information, CAD drawings or related materials, please visit: www.componance.com or contact an authorized componance dealer. All information subject to change. Line drawings are not plotted to scale, for scaled drawings please inquire or download the drawings in CAD format.


componance.com
info@componance.com
+1.604.771.5128



TOP VIEW



FRONT VIEW



SIDE VIEW

NOTES

Specification: VS-WALL-(COLOUR)

Minimum 1-1/2" / 38mm of solid backing, wood stud or concrete required for anchoring.

Can be installed on top of existing drywall.

Rail must be flat on the bottom where it comes in contact with the bracket. 1.8" W x 1" D / 45mm x 26mm min.

Can be used with solid metal and wood rails.
For hollow metal rails, please inquire.

For technical installation, product specs, maintenance and more specific questions, please contact info@componance.com or call +1.604.771.5128

VS Series, designed and manufactured by componance. For technical information, CAD drawings or related materials, please visit: www.componance.com or contact an authorized componance dealer. All information subject to change. Line drawings are not plotted to scale, for scaled drawings please inquire or download the drawings in CAD format.

componance.com
info@componance.com
+1.604.771.5128

COMPONANCE

VS SERIES: BLACK

GLASS MOUNTED HANDRAIL BRACKET



SPEC	VS-GLASS-BLK	NOTES
Application	Glass Mounted	Use with rail with flat bottom. 3/4" / 19mm Diameter hole in glass required. Glass thickness should be specified when ordering. All hardware included.
Material	304 Stainless Steel	
Finish	Powder Coated	
Colour	Black	
Use	Interior & Exterior	
Projection	2.9" / 74mm	
Spacing	36"-48" o.c. / 914-1220mm	
Hardware	Included	

VS Series, designed and manufactured by componance. For technical information, CAD drawings or related materials, please visit: www.componance.com or contact an authorized componance dealer. All information subject to change. Line drawings are not plotted to scale, for scaled drawings please inquire or download the drawings in CAD format.

componance.com
info@componance.com
+1.604.771.5128

COMPONANCE

VS SERIES: WHITE

GLASS MOUNTED HANDRAIL BRACKET



SPEC	VS-GLASS-WHT	NOTES
	Glass Mounted	
Application	304 Stainless Steel	Use with rail with flat bottom. 3/4" / 19mm
Material	Powder Coated	Diameter hole in glass required. Glass thickness should be specified when ordering. All hardware included.
Finish	White	
Colour	Interior & Exterior	
Use	2.9" / 74mm	
Projection	36"-48" o.c. / 914-1220mm	
Spacing	Included	
Hardware		

VS Series, designed and manufactured by componance. For technical information, CAD drawings or related materials, please visit: www.componance.com or contact an authorized componance dealer. All information subject to change. Line drawings are not plotted to scale, for scaled drawings please inquire or download the drawings in CAD format.

componance.com
info@componance.com
+1.604.771.5128

COMPONANCE

VS SERIES: BRUSHED STAINLESS




GLASS MOUNTED HANDRAIL BRACKET



SPEC	VS-GLASS-SS	NOTES
Application	Glass Mounted	Use with rail with flat bottom. 3/4" / 19mm Diameter hole in glass required. Glass thickness should be specified when ordering. All hardware included.
Material	304 Stainless Steel	
Finish	Brushed	
Colour	Silver	
Use	Interior & Exterior	
Projection	2.9" / 74mm	
Spacing	36"-48" o.c. / 914-1220mm	
Hardware	Included	

VS Series, designed and manufactured by componance. For technical information, CAD drawings or related materials, please visit: www.componance.com or contact an authorized componance dealer. All information subject to change. Line drawings are not plotted to scale, for scaled drawings please inquire or download the drawings in CAD format.

componance.com
info@componance.com
+1.604.771.5128



NOTES

Specification: VS-GLASS-(COLOUR)

3/4" / 19mm Diameter hole in glass required.

Glass thickness should be specified when ordering

Rail must be flat on the bottom where it comes in contact with the bracket. 1.8" W x 1" D / 45mm x 26mm min.

Can be used with solid metal and wood rails.
For hollow metal rails, please inquire.

For technical installation, product specs, maintenance and more specific questions, please contact info@componance.com or call +1.604.771.5128

VS Series, designed and manufactured by componance. For technical information, CAD drawings or related materials, please visit: www.componance.com or contact an authorized componance dealer. All information subject to change. Line drawings are not plotted to scale, for scaled drawings please inquire or download the drawings in CAD format.

componance.com
info@componance.com
+1.604.771.5128