







FORME N18-T

FUNCTION: PRIVACY INTERIOR DOOR SET

TYPE	Lever to Lever
	Solid brass
	Inner Parts : Stainless Steel 302 Grade coated with Nickel Plating
	Concealed screws on the interior rosaces / No visible screws
	Compatible with: Rotation latch 28° or standard latch from 45° to 53°
	Fit Door : 1-1/8" to 2" or 29mm to 50mm
FINITION	To be use with Mortise Lock or Latch
	Natural brass / Unlacquered
	Bronze / Lacquered
	Satin Nickel / Unlacquered
SIZE	
SPARE PARTS	
HANDLE	1"x5" or 27 x 126mm
PROJECTION	1.83" or 46.50mm
ROSACE	diameter 2.15" or 55mm
THUMBTURN	diameter 2.15" or 55mm
SPARE PARTS	
HANDLE SPINDLE	0.3"x0.3"x5" or 8x8x125mm
SPINDLE SLEEVES	Adapter sleeves to convert 8 to 7mm
CONNECTING SCREWS	2 pieces M4
WOODEN SCREWS	4 pieces
GRUB SCREWS	



REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED

	NAME	DATE	Mi&Gei Hardware.	
DRAWN	Associate	05/27/22		
CHECKED			Door Handle Assembly	
ENG APPR				
MGR APPR				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS ANGLES ±XX° 2 PL ±XXX 3 PL ±XXXX			SIZE A2	DWG NO 1
			SCALE	WEIGHT: SHEET 1 OF 1

HANDLE LATCH

FUNCTION: PASSAGE INTERIOR DOOR

82MM



TYPE

Tubular Bolt 8mm Spindle Hub
Backset: 82mm
Field-Reversible Handing

FINITION PLATES

Satin brass
Nickel Plated

SPARE PARTS

1 plate
1 strike plates
4 mounting screws matching finish

60MM



TYPE

Heavy Duty to keep levers from sagging
Tubular Bolt 8mm Spindle Hub
Double Spring
Backset: 60mm
Field-Reversible Handing

FINITION PLATES

Satin brass
Nickel Plated

SPARE PARTS

1 plate
1 strike plates
4 mounting screws matching finish

THUMBTURN LATCH

FUNCTION: PRIVACY INTERIOR DOOR

82MM



TYPE

Tubular Bolt 8mm Hub Spindle
Backset: 82mm
Field-Reversible Handing


FINITION PLATES

Satin brass
Nickel Plated

SPARE PARTS

1 face plate
1 strike plate
4 mounting screws matching finish
Dust Box

60MM



TYPE

Heavy Duty to keep levers from sagging
Tubular Bolt 8mm Hub Spindle
Double Spring
Backset: 60mm
Field-Reversible Handing

FINITION PLATES

Satin brass
Nickel Plated

SPARE PARTS


1 face plate
1 strike plate
4 mounting screws matching finish
Dust Box

FOR RENOVATION PROJECT CONTACT US customerhappiness@miandgei.com

DOOR PREPARATION

PRIVACY INTERIOR DOOR

REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED




	NAME	DATE	Mi&Gei Hardware Studio	
DRAWN	Schematter	02/06/23		
CHECKED				
ENG APPR				
MGR APPR			TITLE Standard Door Preparation	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS ANGLES ±XX° 2 PL ±X.XX 3 PL ±X.XXX			SIZE A2	DWG NO 01
			SCALE	WEIGHT
				SHEET 1 OF 1

PRIVACY MORTISE LOCK

FUNCTION: PRIVACY INTERIOR DOOR

AUSTRALIA



BRAND COMPTABILITY

Jacksons JMCL60PVTT

Door Thickness 29-50mm


Standard Backset 60mm

Lock Spacing (entraxe) 85mm

Spindle Handle 8mm

Spindle Thumbturn 5-6mm (we supply the sleeve adapters to convert 6 to 5mm)

FRANCE



BRAND COMPTABILITY

Thirard France ref. 00494330

JPM France ref: MULTIBAT

Door Thickness 29 to 50mm

Standard Backset 40 to 80mm

Lock Spacing (entraxe) 70mm

Spindle Handle 7mm (we supply the sleeve adapters to convert 8 to 7mm)

Spindle Thumbturn 6mm (we supply the sleeve adapters to convert 6 to 5mm)

FOR RENOVATION PROJECT CONTACT US

customerhappiness@miandgei.com



CONTACT US

E-mail	customerhappiness@miandgei.com
Website	www.miandgei.com
Phone	+1-347-745-1401 USA +33 7 84 21 68 87 France
Follow us	@miandgeihardware